


Marion County Public Health Department, IN 2025-04-28 Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

Influenza-Like Illness (ILI) ED visits in Marion County slightly increased during Week 16, a 7.6% increase compared to Week 17. For children aged 0-4 years old, ILI ED visits increased by 16.9%. For 5-17 years old, ILI ED visits decreased by 6.4%.




- During Week 17 (April 20 to April 26), 1.98% or 254 of Marion County ED visits had ILI symptoms. The current percentage is higher than last week (1.84% or 232 visits). The median percentage of ILI-related ED visits for Week 17 over the last five years is 1.98%.
- In Marion County hospitals, the age group 0-4 years old continue to have the highest percentage of ILI-related ED visits at 6.58% (76 visits), followed by 5-17 years old at 3.24% (46 visits). Last week, the age group 0-4 years old had the highest percentage of ILI-related ED visits at 5.63% (61 visits).
- ED visits for Respiratory Syncytial Virus (RSV) for 0-4 years old are higher compared to last week. The percentage of RSV-related ED visits was 0.35% (4 visits) out of all 0-4 years old ED visits during Week 17. This percentage is higher compared to last week (0.18% or 2 visits).
 - RSV is a common respiratory virus that is the most common cause of bronchiolitis and pneumonia for children under one year of age in the U.S.



Marion County Public Health Department, IN 2025-04-28 Please send comments or suggestions about content to epidemiology@hhcorp.org.


To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

Percent of ILI related ED Visits by Age Group



DR1202 Ariane Thomas MCPHD EPI (epidemiology@marionhealth.org) Data Source: Inductive Health ESSENCE 2025-04-28

Percentage of Visits with RSV Syndromes at Marion County EDs for 0-4 years





Marion County Public Health Department, IN 2025-04-28

Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

Marion County (Week 16, April 13, 2025 - April 19, 2025)


- The percentage of ILI-related ED visits was 1.84% (232 visits) out of all ED visits.
- In Marion County hospitals, the age group 0-4 years old had the highest percentage of ILIrelated ED Visits (5.63% or 61 visits).

Indiana (Week 16, April 13, 2025 - April 19, 2025)

https://www.in.gov/health/idepd/respiratory-disease/influenza/influenza-dashboard/

- Indiana is experiencing Minimal ILI activity for Week 16
- For the latest IDOH data, please look here: https://www.in.gov/health/idepd/respiratory-disease/influenza-dashboard/

National (Week 16, April 13, 2025 – April 19, 2025)



- Seasonal influenza (flu) activity continues to decline, and the CDC expects several more weeks of flu activity. This season is classified as a high severity season overall and for all age groups (children, adults, older adults) and is the first high severity season since 2017-2018.
- According to the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet), 2.3% of
 outpatient visits to healthcare providers were related to ILI (influenza-like illness). This
 percentage is below the baseline of 3.0%.
- Six influenza-associated pediatric deaths that occurred during the 2024-2025 season have been reported to CDC during Week 16
 - These deaths occurred during Week 6 of 2025 and week 15 of 2025:
 - Five deaths were associated with influenza A viruses



Marion County Public Health Department, IN 2025-04-28 Please send comments or suggestions about content to epidemiology@hhcorp.org.

To subscribe to this report, email your name and email address to epidemiology@marionhealth.org, with subject "Add to Weekly Flu Report distribution list".

- Three deaths had subtyping performed
 - Three were A(H1N1) viruses
- One death was associated with an influenza B virus with no lineage determined.
- Total number of influenza-associated pediatric deaths that have occurred since the beginning of the 2024-2025 season and reported to CDC: 204
- During Week 16, 5.6% of <u>clinical laboratory specimens</u> were **positive for the influenza virus.** This percentage is lower compared to last week (6.7%).
- During Week 16, 337 **(43.8%) specimens** were **positive for influenza viruses at <u>public health</u> <u>laboratories</u>. This percentage is lower compared to last week (51.8%).**